



# TABANAC

REF 16.5.173 A

## SAFETY KNIFE WITH 5-BLADES CHARGER

Retractable blade. Self-locking slider. Ideal for any handling job: cutting and scrolling.

Specially designed for difficult cuts.

**SAFETY** • Possible blocking of the cursor.

- When pressure is too strong, the blade enters the body of the knife to prevent injury.



DELIVERED WITH A CHARGER  
OF 5 UNBREAKABLE BLADES  
WITH ROUND TIP



FOR RIGHT AND LEFT  
HANDED USERS



ERGONOMIC



AVOIDS  
MSDs



RETRACTABLE BLADE  
BY PRESSURE



RESISTANT TO DETERGENTS



SHOCK RESISTANT



SINCE  
1904

# TECHNICAL SHEET

## BLADE CHARGER: CONVENIENT AND SAFE


SAFETY: THE BLOCKED SLIDER PREVENTS AN UNINTENTIONAL EXIT OF THE BLADE.

COMFORT: THE 5-BLADES CHARGER USES LESS BLADE CHANGE.

CHANGING THE  
BLADE FROM THE  
FRONT. EASY, FAST  
AND MORE SECURE

DOUBLE NON-SLIP  
SLIDER WITH OPTIONAL  
LOCKING SYSTEM

RESISTANT,  
LIGHTWEIGHT AND  
PRACTICAL HANDLE



UNBREAKABLE BLADE  
FOR MORE SAFETY

CURSOR POSITION  
NOTES FOR BLADE  
ADJUSTMENT

5-BLADES CHARGER

INCORPORATED  
BLADE BREAKER

## ASSETS



LIGHT AND VERY ROBUST



To cut single-wall  
carton



To cut packaging tape



To cut overwrapping  
plastic films



To cut flexible  
plastics, PVB



To cut polyurethane  
foam



GESTUAL COMFORT



SPECIALLY DESIGNED FOR DIFFICULT  
CUTS



DELIVERED WITH A 5-BLADES CHARGER 9 MM  
WITH ROUNDED TIP AND NOT PRECUTTED  
REF 173A.4 CH



UNBROKEN FLEXIBLE BLADES  
OFFER MORE SAFETY AND  
FLEXIBILITY AT WORK



## CURSOR LOCK



## OTHER CHARACTERISTICS


- Easy replacement of the worn blade from the front: the slider goes back and a new blade from the loader is engaged.
- Easy change of the 5 blade magazine from the rear.
- Several cutting depths are possible depending on the cursor position.
- Reusable magazine: 9 mm blades.
- High cutting precision.
- Robust, very resistant to shocks.
- Resistant to acetone and detergents.
- Easy to use for right and left handed users.

## BLADE CHANGE


**01**/Push the slider at the front of the knife in order to completely remove the blade.



**02**/Grasp the blade by the back and carefully pull it forward.



**03**/Bring the cursor back to the back of the knife in order to engage a new blade.



**04**/The knife is ready to operate again.




## CHARGER CHANGE

**01**/Before changing the charger, remove the last blade of the knife.




**02**/Pull on the black tab of the charger and remove it.



**03**/Put in a new blade charger.



**04**/Replace the rear clip.



## BLADES

### DELIVERED WITH



REF 173A.4 CH



**REF 173A.4**  
Thk 0,4 mm  
Cutter blade 9 mm in gauge steel, non pre-broken,  
sharpened 3 angles.

### CHARGER AND BLADE AVAILABLE



REF 973A.4 CH



**REF 973A.4**  
Thk 0,4 mm  
Cutter blade 9 mm in gauge steel, non pre-broken,  
sharpened 3 angles.



REF 173.4 CH



**REF 173.4**  
Thk 0,4 mm  
Cutter blade 9 mm in gauge steel, non pre-broken,  
sharpened 3 angles.




REF 175.4 CH



**REF 175.4**  
Thk 0,4 mm  
Cutter blade 9 mm in gauge steel, pre-broken,  
sharpened 3 angles.

Blade Reference	Description	Type	Dimensions (in mm) Length • Width • Thickness	Sharpening Angle	Hardness
173A.4	Cutter blade with rounded tip, non pre-broken	Premium quality steel	85 x 9 x 0,4	18,5° - 30°	63,0 Hrc
973A.4	Cutter blade with rounded tip, non pre-broken	Premium quality steel	85 x 9 x 0,4	18,5° - 30°	67,0 Hrc
173.4	Cutter blade, non pre-broken	Premium quality steel	85 x 9 x 0,4	18,5° - 30°	63,0 Hrc
175.4	Pre-broken cutter blade	Premium quality steel	85 x 9 x 0,4	22° - 36°	63,0 Hrc

## TECHNICAL SHEET (in mm)



Packaging	Weight PKG	Dimensions (in mm) Length • Width • Thick.	Quantity PKG	Units	Accessories	Material	Colors
IN BULK	33 g	140 x 16 x 18	10	4 units	Body	Composite	Blue
					Rear clip	Composite	Black
					Double slider	Composite	Black
					Push clip	Stainless steel	Grey metal
					Spring blade	Chromed metal	Chromed
					Loader	Stainless steel	Grey metal
					Loader spring	Stainless steel	Grey metal
					Charger zipper	Composite	Black
					5 blades 173A.4	Premium quality steel	Grey metal

Patented design, certification in progress.



MURE & PEYROT  
25, rue Roger Touton • BP 50120  
Parc d'Activités Bordeaux Nord  
33041 BORDEAUX CEDEX - FRANCE

Tel.: +33 (0)556 693 200 / Fax: +33 (0)556 693 202 / E-mail: mail@mure-peyrot.com

RETRouvez toutes les informations sur  
**MURE-PEYROT.COM**